



IMPERIAL AGRICULTURAL
RESEARCH INSTITUTE, NEW DELHI.

ON THE
HISTORY AND GROWING UTILISATIONS
OF
TUSSUR SILK.

A PAPER READ AT THE SOCIETY OF ARTS ON MAY 14TH, 1891,

BY

THOMAS WARDLE,

*Fellow of the Chemical Society; Fellow of the Geological Society; Member of Council of the Palæontographical Society; Chevalier de la Legion d'Honneur of France; Officier d'Academie of France; Membre du Jury de l'Industrie de la Soie a l'Exposition Universelles à Paris, 1878 and 1889; Honorary Superintendent of the Indian Silk Culture Court of the Colonial and Indian Exhibition, London, 1886; Chairman of the Silk Section of the Royal Jubilee Exhibition, Manchester, 1887;
One of the Examiners to the City and Guilds of London Institute;
President of the Silk Association of Great Britain and Ireland;
President of the North Staffordshire Field Naturalists' Club and Archaeological Society, &c.*

Reprinted from the "Journal of the Society of Arts," June 12, 1891.

16248'

LONDON:
PRINTED BY W. TROUNCE, 10, GOUGH-SQUARE, FLEET-STREET, LONDON, E.C.
1891.

admirably lends itself for giving effect and brightness to these goods, which are mixtures of cotton or wool with the floral parts of tussur silk. I believe these manufactures have fallen off with us of late. I find, however, that the manufacture of these fabrics is somewhat rapidly increasing in Lyons, as the extraordinary statistics prove. I attribute the British decadence to the tendency we invariably have in all our manufactures to cheapen them at the expense of excellence and beauty; and to do this, something must be omitted, to make the goods cost less, to satisfy the bargaining of the merchant, and the lamentable price competition almost enforced upon manufacturers. In France, the converse is the case generally. Being an artistic people, they realise the force of Matthew Arnold's words:—

"Art still has truth;
Take refuge there."

One has only to look at these very beautiful brocatelles lent by Messrs. Kendal, Milne & Co., of Manchester, the tapestry cloths of Messrs. D. Barbour and Co., the charming and unsurpassed tussur silk brocades of Messrs. Devaux and Bachelard, and Messrs. Lamy and Giraud, both of Lyons, and the rest of this unique collection, which I will briefly describe presently. The large blue, gold, and green curtain exhibited under the arch, is one I had manufactured in Scotland some time ago.* The design is the one from the Caves of Ajanta.* The blue and green parts are woollen, and the gold birds are an enrichment in tussur silk. A complete catalogue of all these will be found at the end of my paper.

TRIMMING MATERIALS.

The various articles for trimming purposes I have had so kindly lent by their respective manufacturers to me for this paper, prove the superiority of this silk even over any other for these purposes, in the way they are applied, by reason of the natural lustre of the silk, its cheapness, and its greater resistance and firmness in pile.

May I draw your attention to the beautiful specimens of tussur silk utilisations for trimming purposes, such as umbrella-tassels, muffs, upholstery tassel-fringes, parasols, furs, hats and bonnet-tassels for women and children, pom-poms, chenille, dyed tussur silk

* This pattern is a reproduction of a portion of the fresco paintings in the caves of Ajanta, in the province of Bombay. These caves were Buddhist places of worship, and the paintings are admirable for their beauty of design; both borders and subjects being exquisitely drawn. They were painted about 2,000 years ago.

on bobbins, &c., lent by the following firms:—Messrs. A. Kerr and Co., 59, Florida-street, Bethnal-green-road, London, E.; Mr. A. W. Metcalf, 22, Nicholl-square, London, E.; Messrs. E. Bateman and Co., Limited, Tottenham-court-road, London. *German*—Mr. L. Abrahamsohn, Berlin; Messrs. Schlottmann and Co., Berlin; Messrs. W. and G. Kessler Berlin.

Many of these trimmings are very tastefully wrought; some in shaded dyes in chenille; some, chenille and tram alternating, and others, chenille intertwined with bright gimp tussur cord.

Messrs. Anderson, Lawson and Co., of Glasgow, have sent two most interesting tussur chenille table-covers, with chenille fringes. This is a most recent and important utilisation, as a very large quantity of tussur silk is required for each cover. The surface is very velvety, showing beautiful reflections of light, and the utilisation is certain to become popular.

HANDKERCHIEFS.

Amongst the rather unlikely uses for tussur silk, I see it has found its way into the pocket-handkerchief branch of the silk industry. From Berlin I receive this small lady's *mouchoir* with border in the approved fashion and embroidered initials. It is remarkably well made, very even in texture, and neither hairy nor hard, and it is, moreover, almost a pure white. It was sent to me by Mr. Maas, and its value is 2s. 3d.

DRESS SILKS.

Mr. Maas also sent me these small samples of well-woven tussur thin cloth of various textures, and undyed, he informs me they are used for dust-coats, both for the home and export trade.

I have the following reliable information from Germany. The most important silk manufacturer in Crefeld has tried tussur silk for ladies' dress goods, but when the experiment promised a successful and practical issue, he found out, to his disappointment, that he could not contract with dealers for quantities at settled times, and was thus unable to take orders for goods of fashion, the correct and fixed time of delivery being the most essential condition.

The next is a piece of cream-coloured figured damask, quite rivalling the best weaving of Lyons. It is made wholly of tussur silk, and there is also a specimen of gold-coloured damask of the same pattern, I am

glad to say of English manufacture. Both of these, made and lent by Messrs. M. Perkin and Sons, 27, Curtain-road, London.

Here are also three excellent and lustrous examples of Indian tussur silk figured damasks, in various colours, in an Indian design. They were woven for me in Leek for my Society of Arts paper in 1879, and I believe were the first figured fabrics ever made in Europe entirely of tussur silk.

The two French-made open-work damasks, are for light dress purposes, and are of Indian tussur silk.

Detailed lists of these will be found in the catalogue of illustrations at the end of the paper.

TUSSUR CARPETS AND RUGS.

I have tried successfully the application of tussur silk to carpets and rugs. From its greater thickness of fibre it produces a result between the silk carpets of India and Utrecht velvet. Here is a hand-made example designed by Mr. William Morris, and made for me by his firm. Also several others of smaller size. It is quite as lustrous as the Indian silk carpets, and has a better and firmer pile.

VELVETS.

Here are several specimens of tussur velvet made recently by Messrs. Devaux & Batchelard, of Lyons, some of which I have dyed in the piece, and others I have printed. They are admirably suited for furniture velvet, being more lustrous than Utrecht velvet, and not so soft as ordinary silk velvet.

CURTAINS AND SHAWLS.

Here are some beautiful woven summer curtains and shawls with very effective borders and centres, manufactured and lent by Messrs. A. Jamieson & Co., Darvel, Ayrshire.

Messrs. J. W. and C. Ward, of Albion Mills, Halifax, have been obliging enough to lend me two of their light tussur silk summer curtains; both colours and patterns are disposed with great taste.

INDIAN TUSSUR SILK.

But it is in France that Indian tussur silk to-day finds its greatest market and manufacturing use, and the reason is easy to see. China raw tussur silk is so badly reeled as to be fit only for the coarsest textiles; but since the time I was in India, so much attention has been paid to improving the reeling of this silk at the Behrempore and Surdah filatures,

as also at Arrah and at a few other centres, that an Indian raw silk is produced such as can be successfully used for artistic purposes in upholstery by the best Lyonesse manufacturers, of whom, probably, Messrs. Lamy & Giraud and Messrs. Devaux & Bachelard, and Messrs. Viallar, Guèneau, and Chartron, have been the most persevering and successful. Messrs. Devaux and Bachelard, of Lyons, have kindly lent me two charming specimens of their manufactures, in which Indian tussur silk is used for the weft or shute; the warp is of ordinary silk.

The pale old-gold coloured satin-damask, with pink and pale yellow flowers and graceful other treatment, is one of the handsomest results of weaving and effect in the whole collection. The fabric is very thin, and falls in graceful folds. The other specimen is a thick fabric, suitable for hangings or waistcoats, covered with typical Indian shawl or pear pattern.

In the Exhibition of 1889, at Paris, my duties in the silk section caused me to notice in it some interesting but plainer fabrics, manufactured by Messrs. Viallar, Guèneau, and Chartron, of Lyons. One of the partners obligingly gave me two specimens which are here exhibited; one is a red plaid, with undyed but bleached tussur ground, the other is a black plaid, with unbleached tussur ground. They have also been kind enough to send me a series of nine other fabrics in which tussur mainly forms the whole. They are, as you see, in plaids and stripes, except one, which is of plush *rayé*. These fabrics are all manufactured from Indian tussur raw-silk, reeled at Berhampur by Messrs. Louis Payen, *filateurs* at that place (who inform me they have recently reeled more than 50,000 kilogrammes—110,000 lbs.—of tussur silk), as well as large throwsters in Italy and France. Here are samples of their tussur raw-silk, as clean and almost as fine as Italian silk.

This important filature I found under the able and energetic management of M. Gallois, who was then commencing to reel tussur cocoons. I am informed, from Berhampur, that this firm, since I was there in 1886, have added three large filatures, and are building a fourth, with a fifth in contemplation, so much has the demand for their Indian tussur silk increased.

And it is from this raw silk that the beautiful fabrics which I am about to point out to you are made. Messrs. Lamy and Giraud have been good enough to furnish me with speci-

mens of their art-furnishing stuffs, of one metre each. As you see, they are beautiful brocades, of which all, or nearly all, the ornamental parts of flower and foliage treatment are of tussur silk, dyed at Lyons, in very harmonious and rich shades of colour. In those charming brocades, tussur silk is used for the weft. Messrs. Lamy and Giraud inform me that Indian tussur silk gives excellent results in a large range of these fabrics, when properly dyed, the effect being undistinguishable from real silk, especially in the cream grounds. The warp is of cotton, the tram of Indian tussur silk.

Thus you see here at least two most important improvements have been effected, which have elevated the use of tussur silk into a new, an unexpected, and a much more important horizon than that of its Yorkshire uses, of which I have said so much, namely, by improvements in reeling, improvements in dyeing, and its consequent amelioration to permit of its being used by the highest class of Lyons manufacturers.

OPERA-SHAWLS.

Besides the application of tussur silk to weaving, I am pleased also to be able to show that elegant and effective work can be done in hosiery and lace manufacture. Observe the case of three opera-shawls, or fichus, of machine-knitted or hosiery-made tussur silk, unbleached, manufactured by Mr. Stimson, of Leicester, who is well known for his successful applications of this silk for light shawl purposes.

This silk is made from Indian tussur silk, thrown by Messrs. J. and T. Brocklehurst and Sons, of Macclesfield, who have been kind enough to lend me a bundle of it. It is three-threads organzine, of most excellent quality, and beautifully thrown. It is also used in the exhibits of lace and elastic webs. The Berlin fichu manufacturer has had the courage to go a step further in this direction, by having the tussur silk bleached. This gives a very light and pleasing appearance to the fichu; and I think Mr. Stimson would do well to follow in this direction, especially as it would add to the variety he makes. It is this cream-coloured specimen, and is lent by Mr. William Mass, of Berlin. The price quoted in Berlin is 10s. I am informed from the same source that tussur silk products are exported from Berlin to America in rather important quantities. It is difficult to ascertain the extent and variety of their tussur silk goods, but it is used for dresses, shirts, pocket-handkerchiefs, dust-cloaks, and

shawls, for both home and foreign markets, and also in Saxony, where lace, gloves, &c., are made of it.

LACE.

To show how the use of tussur-silk is now beginning to permeate silk manufactures, it is pleasant to be able to bring forward such well-designed and well-manufactured specimens of lace as those in the two cases I now point out. These are manufactured and lent by Messrs. J. Kirkbride and Co., St. Mary's Gate, Nottingham. All the ornamental treatment has been done with Messrs. Brocklehurst's organzine after being dyed black, its lustrous appearance proving it to be very suitable silk for this purpose.

ELASTIC WEBS.

Messrs. Archibald Turner and Co., Bow Bridge Mills, Leicester, have also utilised this silk for elastic webs. Here are specimens of their pocket-book and garter webs, which they have kindly lent to me for this paper.

PRINTED TUSSUR SILK.

To show what can be done with tinctorial matter in printing upon tussur silk, I have printed a series of large examples upon native woven Indian tussur silk. Some of them are on bleached grounds, and others upon unbleached grounds. I think you will agree with me that they are not unsuccessful, and are very suitable to be worn for dress.

DYES IN GEM-COLOURS.

To show the receptivity of tussur silk to tinctorial matter under the present improved methods, I have here a case of fourteen colours dyed by my son to the shades of the principal precious stones, as follows:—Sapphire, emerald, topaz, pink topaz, spinel-ruby, beryl, jacinth, chrysoprase, amethyst, coral, gold-quartz, turquoise, ruby, peridot.

It will be seen that the difficulties of dyeing this silk may now be considered to have been entirely overcome, excellent results being obtained abroad, by Messrs. Bonnet, Ramel, Sevigny, Giraud, and Maruas, of Lyons, and by other Lyons dyers; by Mr. W. Spindler, of Berlin, and by most good European dyers, English and Continental.

The two cases below are filled with tussur raw-silk such as is used for the manufacture of pom-poms, dyed by my son with aniline dyes, and contain examples of tussur undyed raw-silk as imported; also after bleaching

and dyeing into a variety of pale shades suitable for this purpose. There are examples, also, of the purest whites and blacks attainable on this silk.

EMBOSSING WITH TUSSUR SILK.

Here are three bottles of powdered or very finely-cut tussur silk of various colours. This powder, by a patent process, is used for embossing or partially surface-coating it upon plain cloths in the form of figures, flowers, &c. It gives the cloth the appearance of woven velvet on a plain surface. I have not been able to obtain specimens of the cloth so treated, owing to the novelty and secrecy of the utilisation, but I believe it is in operation at Roubaix.

Here is a fine example of tussur silk plush, embossed or stamped by roller in a very effective and satisfactory manner. No. 36A is another example, but in seal plush.

CONCLUDING OBSERVATIONS AND STATISTICAL RECORD OF CONSUMPTION.

It is thus the dictum of European manufacturers of 15 years ago that tussur silk could never be made anything of, that it would never replace the ordinary silk of commerce, has been returned to them, for here are examples so rich and so beautiful that none but experts could discover what silk they are made of, and it may now be asserted that its day has arrived; that it can and does in a very important degree, for these purposes at least, take the place of the more costly silks of France, Italy, China, and Japan. I never presumed to assert that its mission was to substitute itself for these silks, but I modestly did assert that it would, in time, prove to have distinctive uses, that no fibre comes to us for uselessness, but that with attention uses can be had for all. The triumph of successful tussur silk manufacture is complete. The fibre takes high rank, and can be and now is very largely used to economise the cost of artistic and very beautiful cloths, so as to place them more within the reach of people with moderate incomes, and it has had also this effect, that it has helped to keep down the price of the ordinary silks, and so has permitted them to have a wider distribution. Italian silks are now less than 20s. per pound, and were never known to be so low in price. The Government of France has acknowledged the influence of tussur silk recently, for at a meeting of the committee on French industry, held in Paris the other day, at which M. Fougereol, one of the ministers of the French Government, and a member of the Chamber of

Deputies, said that tussur silk ought to be taxed, as people were much guided by price, and that was so especially in the increasing use of tussur silk in France, and M. Berenger, President of the General Syndicate of French Cultivators, and Member of the Senate, supported him, saying that so far, as tussur silk was concerned, it ought not to be made an exception, it must not be permitted to enter duty free, because to do so would be to increase the use of this silk, which is an inferior sort, and that would be to the prejudice of the French producers.

I hope I may be permitted, with not a little pardonable pride, now to assert the triumphs and gradual progress of this very interesting silk to which I have devoted myself for so many years, sometimes hoping against hope, and at times almost despairing of ultimate success; and in leaving it at this successful stage of its history I wish it further success, and that India may in the long run be the nursing mother of its European requirements.

In 1878, the Government of India were anxious that the promising developments of tussur silk uses should be shown in the Indian Section of the Paris Exhibition of that year, and requested me to place myself under the guidance of Sir Philip Cunliffe-Owen, in forming an interesting collection. Sir Philip entered into the spirit of the undertaking most cordially, and gave me every help, and, since that time, has shown the greatest interest in this Indian silk; and great credit is due to him for the energy with which he assisted in arresting the attention of the French, in 1878, and the English, at the Silk Culture Court of the Colonial and Indian Exhibition, in 1886; in fact, the success of the increased use of tussur silk is greatly due to him.

He occupied the chair at the reading of my paper on the "Wild Silks of India," in this room, in 1879, and said, in introducing me, that the evening's subject was one of the practical results of the Paris Exhibition, and that there was nothing which interested the French people more than the collection of Indian silks. He further stated, that the Lyons manufacturers saw the importance of it, and were greatly interested. Since that time, those observations have been attended with abundant realisation, as I will now further proceed to show.

During my jurorship at the 1878 Paris Exhibition, I had many inquiries respecting the vitrines containing the collection of the wild silks of India, from French manufacturers;

and the cases were frequently opened for their examination. Several were at first disinclined to believe they were really tussur silk, and their doubts were only removed by such personal examination. Monsieur David, the largest ribbon manufacturer in St. Etienne, and also one of the silk jury, said there was no doubt as to a successful future for it, and that he could see his way to use very large quantities; and this opinion was expressed to me by several other French manufacturers of importance.

The attention of the French manufacturers was roused, and, very soon after that exhibition, the Chamber of Commerce of Lyons did me the honour to ask me to contribute a collection of tussur silk utilisations, similar to the one exhibited in the Indian Section of the Paris Exhibition. I sent them a very large and specially prepared collection, which they placed in their Industrial Museum, at the Bourse in Lyons, where it now is, and is named the "Wardle" collection. At that time tussur silk found little or no utilisation; to-day the consumption is very large, as I will now proceed to show.

QUANTITIES USED NOW AND FORMERLY.

On April the 9th of this year, Messrs. Louis Payen and Co. wrote me that the following figures represent the quantities used in Lyons last year:—

The Conditioning House registered for 1890 a total quantity of 306,152 kilogrammes, or 673,534 lbs., of tussur silk, thus divided:—Organzine 13,347 kilos or 29,363 lbs.; Tram 69,028 kilos or 151,864 lbs.; Raw Tussur 223,776 kilos or 492,307 lbs.

This is an average of 92 bales of 140 lbs. each per week, and it is confirmed by the Chamber of Commerce published report of last year. Compare this with the whole year of 1879, when only 53 bales or 7,420 lbs. were imported, and they certainly were not all used.

For the week ending April 11th last, Lyons capped its record. It received and conditioned 136 bales of tussur silk, or 39,040 lbs., against 178 bales or 39,160 lbs. of silk of French growth, and 38 bales or 8,360 lbs. of Italian silk for the same week.

For the week ending April 23rd of this year, 110 bales of tussur silk passed through the Lyons Conditioning-house, and generally the average consumption will be close upon 100 bales, or 14,000 per week; it may be a little under or a little over.

Surely this is a most surprising realization of what so recently as 1876, or 15 years ago,

was only an idea, for in that year only 175 bales reached Europe. I think it will be conceded that it is a consummation which the most ardent imagination could scarcely have been sanguine enough to hope for.

The following Table will explain this statement in a clearer way:—

Three silks conditioned in Lyons for the week ending April 9, 1891.	No. of bales.	Weight per bale.	Total weight in lbs.	Weight in lbs. less than tussur.	Weight in lbs. more than tussur.
Tussur	136	140	39,040	—	—
French	178	220	39,160	—	120
Italian	38	220	8,360	39,680	—

Thus the quantity of tussur comes within 120 lbs. of silk of their own growth, whilst it beats that of Italy by no less a quantity than 38,680 lbs.

The quantities of the silks of other countries conditioned in Lyons in that week will be found in the official report in the "Bulletin des Soies et des Soieries" for April 18th, 1891.

Messrs. Louis Payen & Co. go on to state in their letter "that tussur silks (both Indian and China) are used in Lyons in a great many different sorts of textures, interwoven with other kinds of silk, and wool, and cotton. Trimmings, lace and *chenille* use it very largely. We send you by post two skeins of our Indian raw silk which we are making ourselves in our Bengal factories in large quantities. 40,000 to 50,000 kilogrammes yearly, or 88,000 to 110,000 lbs., and which we can sell at the following prices:—

21 frs. for 30/40 deniers per kilo., or 7/8 per lb.
20 frs. for 40/50 deniers (as the sample) per kilo., or 7/4 per lb.
19 frs. for 60/70 deniers per kilo., or 6/11 per lb."

These prices are on 90 days' conditions, and free at Lyons.

I have been informed by the President of the Lyons Chamber of Commerce that the consumption of tussur silk and tussur silk waste in France during the latter half of the decade 1870 to 1880 is as follows:—

During 1876, 1877, and 1878 unknown; in fact, hardly any was imported. The Chamber does not know of any. I have also consulted several important Lyons and St. Etienne manufacturers, and they say they do not remember that any branch of the silk trade then required or used any tussur silk at all. 1879—53 bales, or 7,420 lbs. of raw tussur silk; 59 bales, or 8,260 lbs. of waste tussur silk,

1880—375 bales, or 48,580 lbs. of raw tussur silk ;
147 bales, or 20,580 lbs. of waste tussur silk.

The following Table shows the state of the London market in tussur silk from 1874 to 1880. Compare it with the remarkably increased consumption since the Paris Exhibition of 1878:—

Year.	Stock (Jan. 1st). Bales.	Imported. Bales.	Consumed. Bales.
1874	661	none	168
1875	494	"	319
1876	175	427	174
1877	428	1,037	284
1878	1,181	837	736
1879	1,282	58	1,142

CHINESE TUSSUR SILK.

As I have previously stated, the Chinese being quicker to respond to commercial requirements, as soon as they saw the steadily increasing demand for Indian tussur silk in Europe, immediately turned their attention to a greatly increased production of their own article, and to them for some years, say since 1884, has been owing the bulk of the supply of raw and waste tussur silk for European wants.

That India, too, has not been altogether lethargic in an increased output of tussur raw silk, will be shown further on, whilst in regard to Indian native-woven tussur fabrics, she has greatly increased her productions and exports.

To show how much the tussur silk trade has increased in China since 1879, the following highly suggestive figures will show. They are copied verbatim from the Chinese Customs Report:—

"Shipments of raw silk, waste silk, and pierced cocoons, from the provinces of Manchuria, Chili, and Shantung, for the ten years ending 31st December, 1888.

1st Jan. to 31st Dec.	lbs.
1879	169,496
1880	671,506
1881	886,766
1882	909,033
1883	728,666
1884	2,043,600
1885	1,796,400
1886	3,189,100
1887	3,375,500
1888	2,874,766

The enormous increase in this business is mainly due to the application of tussur spun silk to the seal and plush trades."

It may be well to place upon record the present values of the various kinds of silks, European and Asiatic, of commerce and tussur silk:—

	s.	d.	s.	d.
China	13	6	to 15	3 per lb.
Canton	9	6	"	12 6 "
Japan, No. 2	15	0	"	15 6 "
Japan filatures	16	0	"	17 0 good to best
Japan filatures	15	0	"	15 6 ordinary
Italian Novi	17	6	"	19 6 "
Italian Lombardy	16	0	"	18 0 "
British	16	6	"	18 6 "
French	19	0	"	22 0 "
Bengal, Surdah	14	6	"	15 0 "
" Cossimbuzar	14	0	"	14 6 } November-Bund. Bombyx fortunatus.
" G. G. Mc P.				
" Gonaten				
" Ramnugger				

WILD SILK.

	s.	d.	s.	d.
Tussur, Indian	5	0	to 7	8
Tussur, China	3	8	"	4 8
Tussur, Waste	1	2	"	1 6
Another quotation	0	10	"	1 4½
Tussur pierced cocoons yielding 70 per cent. of silk	1	9½	"	1 11
Tussur Waste, pressed packed for spinning	3	6		

It is very unfortunate that England is so much behind France in silk-trade statistics. I have several times memorialised the Board of Trade, both in my private capacity and also as President of the Silk Association of Great Britain and Ireland, to publish annually the quantities of silk imported of the following kinds:—

Bengal raw silk.
Bengal raw silk-waste knubs, chassum, &c.
Bengal corah silks.
Tussur raw silk.
Tussur silk-waste.
Tussur silk pieces.

But they inform me that it would be impracticable to make these distinctions without causing delay in the examination of the goods at the ports. We are also in the same state of ignorance with respect to the trade particulars of all our silk centres; whilst in France, Germany, and Switzerland all particulars are published yearly, and can easily be referred to.

The Lyons statistics show a rapidly increasing consumption of 150,000 lbs. of Indian tussur for last year for that city; but further

than this I am without information. The consumption in Switzerland and Germany is considerable, whilst in the United States of America it has been very large; one house there was using 2,000 lbs. per week at the time of the Colinderies Exhibition.

INDIAN AND OTHER WILD SILKS.

I hope I have not wearied you with this tussur silk recital. It is an industry in deep water, and in taking affectionate leave of it I would say that there are yet other wild-silk worlds to conquer, and if I am spared I hope to turn my attention to at least one of three kinds of Indian silks not yet used in Europe, which are capable of having an important future. I need only mention the Eri and Muga silks, long extensively cultivated and used in Assam; the products of the caterpillars of *Attacus Ricini* and *Attacus Assama*; the Atlas silk of the *Attacus Atlas*, the largest known moth.

I found the atlas silk utilised in the Nepal Terai by the Mechi people, in the form of the rudely made cloths, of which I have brought two extremely rare and almost unknown kinds. The warp and weft are hand-spun yarns of long staple. Owing to the oppression the native weavers of this cloth have had to undergo at the hands of the Nepalese authority, they have lately been driven from that part of the country bordering on the Mechi, and have settled on land across the Teesta.

Here is also another piece made from the same silk, but showing the native dyeing in the red stripes.

They were first exhibited in the Colonial and Indian Exhibition, and are more fully described, with all other kinds of Indian silk, in the exhaustive and descriptive catalogue of the Silk Culture Court, a book which ought to be in the hands of every European silk manufacturer.

I would especially mention Muga silk, examples of which are before you in all stages. It is even superior to tussur, and is more amenable to dyeing. It only wants bringing to the front for utilisation and increased production.

MANIPUR SILK.

Here is a piece of silk which at the present moment is of interest, but the interest is of a melancholy kind. It is made by the natives of Manipur for the use of their richer people. It is in stripes with broad red-patterned border.

LA SOIE CHARDONNET—LA SOIE ARTIFICIELLE: ARTIFICIAL SILK.

During my Jury duties in 1889 at the Paris Exhibition, I came across an entirely new kind of fibre, invented by Count de Chardonnet, who terms it artificial silk. But little was thought of it at the time, but it has subsequently been brought to greater perfection, as you will see from the examples I have thought right to bring up with my other illustrations, and it may be of interest to some present. It is a product which belongs neither to the animal nor to the vegetable kingdom, but is purely an organic chemical substance, formed from cotton or cellulose after conversion into gun-cotton, and from that state into collodion, from which viscous substance it is drawn up as a fine thread by a reel through a glass tube into which water is injected, which immediately hardens the fibre, when it assumes the appearance of silk, which it very much resembles, as far as lustre is concerned. It will, no doubt, command some kind of utilisation, although it can never replace silk, which is much more durable and strong. It is, nevertheless, a deeply interesting and cleverly-devised product. It is protected by several patents; and a company has been formed in France, and one is about to be formed in England. Whatever success it may have in the future, one thing is certain, that its greatest rival will be tussur silk, which can successfully compete with it in price.

Here are two cases of it: one containing it in skeins, dyed in various colours and black, by my son, who has recently found methods of dyeing it without impairing its curious lustre. The other shows it in the state of two kinds of silk damasks, the weft of them only is artificial silk, the warp being real silk, and, in a small piece of ribbon, the figured part of which is artificial silk, and the rest of real silk.

LIST OF THE ILLUSTRATIONS AND UTILISATIONS OF TUSSUR SILK.

1. Entomological glass case of arranged moths, larvæ, cocoons, and silk:—*a.* Larva of tussur silk moth, *Antheræa mylitta*; *b.* Male and female moths of *Antheræa mylitta*; *c.* Cocoons, whole, pierced and showing chrysalides; *d.* Tussur raw-silk, native reeled at Fatwah; *e.* ditto, reeled by the Italian method by Messrs. Louis Payen and Co., at Behrempore; *f.* Male and female moths of the Chinese tussur silkworm, *Antheræa pernyi*; *g.* Co-

- coons of tussur silkworm, *Antheraea pernyi*; ditto, in oak leaves; *h.* Chinese reeled silk of tussur silkworm, *Antheraea pernyi*; *i.* Larva of *Bombyx mori*; *j.* Male and female moths of *Bombyx mori*; *k.* Cocoons of the mulberry-fed silkworm, *Bombyx mori*, Italian, white; *l.* Ditto, yellow; *m.* Hot-weather cocoons, *Bombyx cræsi*, and cold-weather cocoons, *Bombyx fortunatus* of Bengal.
2. Large diagram of larvæ, moths, and cocoons, natural size and enlarged, and raw-silk:—*a.* Tussur silkworm or larva; *b.* Tussur moth, *Antheraea mylitta*; *c.* Tussur cocoon showing pedicular attachment; *d.* Chinese tussur moth, *Antheraea pernyi*; *e.* Chinese tussur cocoon; *f.* Mulberry-fed silkworm of commerce, *Bombyx mori*; *g.* *Bombyx mori* moth.
 3. Large drawing of native Arrah woman reeling and winding tussur silk by their native methods.
 4. Large drawing of the European method of cocoon-reeling with the Italian Tavelette Keller.
 5. Diagram of the microscopic appearance of tussur silk fibre, longitudinally and in section. Ditto, ditto, showing separated fibrillæ.
 6. Ditto, ditto, of the ordinary silk of commerce, *Bombyx mori*, longitudinally and in section.
 7. Five bottles containing silkworms in spirit:—*a.* Larva of *Bombyx mori*; *b.* Larva of the tussur moth, *Antheraea mylitta*; *c.* Larva of *Cricula trifenestrata*; *d.* Larva of the eri moth, *Attacus ricini*; *e.* Larva of the muga moth, *Antheraea Assama*.
 8. Grape-like clusters of the cocoons of *Cricula trifenestrata*, from Ranchi, Chutia Nagpur, Bengal.
 9. Three hand-reels, used by the natives for reeling tussur cocoons. One hand-reel, used by the natives for reeling ordinary cocoons.
 10. The Italian Tavelette Keller.
 11. "The Dyes and Tans of India," by T. Wardle.
 12. Map of India.
 13. Tussur silk dyed black, showing scintillations.
 14. Convoluted flat tape of tin-plate do. do.
 15. Cylindrical rod of the same material, showing equal diffusion of light.
 16. Native-woven piece of Indian tussur silk-cloth, undyed. Ditto, ditto, dyed at Hazaribagh, Bengal.
 17. Thirty cards, containing samples of woven silk, tussur silk, wool, and cotton, dyed with Indian vegetable dye-stuffs.
 18. Santal bow and arrow.
 19. Hortus siccus of the tussur food-plants, with tussur cocoons attached to the branches, collected and mounted by the Rev. A. Campbell in the Santal jungles in Gobinopore, Manbhum:—*a.* *Terminalia tomentosa*; *b.* *Terminalia chebula*; *c.* *Terminalia arunja*; *d.* *Terminalia bellerica*; *e.* *Shorea robusta*; *f.* *Zizyphus jujuba*; *g.* *Lagerstroemia parviflora*; *h.* *Careya arborea*; *i.* *Diospyros tomentosa*; *j.* *Alstonia scholaris*.
 20. Tussur cocoons from the Santals at Pokhuria.
 21. Tussur cocoons from Gaya.
 22. Tussur raw silk from Gaya, two qualities.
 23. Tavelette Keller.
 24. Three hand-reels.
 25. Hanks of native reeled raw tussur silk, reeled in Arrah.
 26. Samples of tussur raw silk reeled by Messrs. Louis Payen and Co., at Berhampur.
 27. Fatwah tussur cocoons.
 28. Fatwah plaid cloth made of tussur silk warp and cotton weft.
 29. Tobacco box of tussur cocoons.
 30. Woodcutter's knife-belt with jingle-bells of tussur cocoons.
 31. Tussur silk waste for seal-cloth manufacture; tussur raw-silk used for cutting up for seal-cloth.
 32. Tussur silk spun into yarn for weaving into seal-cloth; three sizes, dyed and undyed, manufactured, and lent by Messrs. J. Bradwell and Co., silk spinners and merchants, Congleton.
 33. Seal plush.
 34. Six kinds of tussur silk seal-cloth, plain, rayé, and embossed; manufactured and lent by Messrs. Norton Brothers and Co., Nortonthorpe and Cottlehurst Mills, Huddersfield.
 35. Five kinds of tussur silk sealettes, manufactured by Messrs. Joseph Walker and Sons, Lindley, Huddersfield:—*a* and *b*, two kinds of bronze sealettes; *c*, bronze ecrase; *d*, black ecrase; *e*, stripe beaverette.
 36. Two kinds of tussur silk seal-cloth, manufactured by Messrs. Field and Botterill, Skelmanthorpe, near Huddersfield:—*a*, stamped; *b*, with white hairs inserted.
 37. Plush made in Crefeld in 1872, the first application of tussur silk for a pile fabric, lent by the South Kensington Museum.
 38. Embroideries in tussur silk, worked and lent by the Leek Embroidery Society; *a.* Dinner-table, centre on satin, worked in Indian tussur silk, designed by the late John Sedding; *b.* *Portière* on cotton velvet, designed by T. Wardle; jun., and worked in tussur embroidery silk; *c.* *Portière* on tussur silk, worked in tussur embroidery silk; designed by William Morris; *d.* Panel or screen, worked on native woven Indian tussur silk, in tussur embroidery silk; *e.* Embroidery for cushion, worked on tussur, in tussur embroidery silk; *f.* Tea-gown on tussur, worked in Indian tussur silk; *g.* Design for curtain on cotton velvet, worked in Indian tussur silk; *h.* Embroidery for tea-gown on tussur, worked in tussur embroidery silk; *i.* Curtain border on tussur silk; designed by

- G. G. Scott, jun.; *J. Portière*, "Ajanta" design on tussur silk, worked in tussur embroidery silk.
39. Eria silk cloth, English woven; printed by Thomas Wardle.
 40. Cloth made of muga silk (*Antheraea Assama*).
 41. Bengal raw silk, 10 deniers, reeled from Bengal cocoons with the Tavellette Keller.
 42. The first English-woven piece of silk from muga cocoons; printed by Thomas Wardle.
 43. Muga raw silk (*Antheraea Assama*), reeled in the Colonial and Indian Exhibition, 1886.
 44. Tussur silk reeled at Fatwah.
 45. Four specimens, of 1 metre each, of brocades, the ornamental parts of Indian tussur silk, woven in patterns of Louis XVth and Louis XVIth styles; manufactured by Messrs. Lamy and Giraud, Lyons.
 46. Tussur plain cloth of excellent quality for under-clothing, very agreeable to wear; manufactured by Messrs. Lamy and Giraud; width $27\frac{1}{2}$ inches, value 5s. per yard.
 47. Brocatelles, or tapestry-cloths, of French manufacture; lent by Messrs. Kendal, Milne & Co., Deansgate, Manchester:—*a*. Brocatelles, spun-silk warp, with the whole of the weft of Indian tussur silk; *b*. Brocatelle, spun-silk warp, with the weft of Indian tussur silk and cotton; *c*. Brocatelle, cotton warp and Indian tussur silk weft; *d*. Brocatelle, spun-silk warp, with the whole of the weft of Indian tussur silk.
 48. Tussur silk tapestry-cloths, for curtains, manufactured by Messrs. David Barbour & Co., Renfield-works, Pollokshaw, near Glasgow.
 49. Five pieces of tapestry-cloths, for curtains, the weft of which is of tussur silk of French manufacture.
 50. Blue gold and green curtain, of Scotch manufacture, Ajanta design; the gold-coloured parts are of tussur silk.
 51. Two examples of tussur tissues, manufactured by Messrs. Villar, Gueneau & Chartron, of Lyons, in plaids also; one other patterned fabrics, in which tussur forms the whole, manufactured by the same firm.
 52. A series of summer curtains and a shawl, manufactured and lent by Messrs. Jamieson & Co., Darvel, Ayrshire:—*a*. Gold, green, and salmon-coloured summer curtain of tussur silk, beautifully woven, with very effective border and centre; *b*. Gold and salmon-coloured summer curtain, interwoven with muslin; *c*. Light richly-coloured shawl.
 53. Two tussur silk summer curtains, manufactured by Messrs. J. W. & C. Ward, Albion-mills, Halifax.
 54. Small example of gold-coloured damask, manufactured by Messrs. M. Perkin & Sons, 27, Curtain-road, London, E.C.
 55. Example of cream-coloured, figured damask Indian tussur silk, manufactured by Messrs. M. Perkin & Sons, 27, Curtain-road, London, E.C.
 56. Three samples of Indian tussur silk figured-damask, woven in Leek, in 1879.
 57. Two specimens of French made open-work dress damasks, Indian tussur silk.
- The following articles, included in No. 58 to 62, are manufactured and lent by Messrs. Schottmann & Co, Berlin :—*
58. Woollen shawl, with rich effect with tussur silk.
 59. Woollen shawl, with open net-work of tussur silk.
 60. Machine-knitted salmon-coloured fichu, with alternating wavy lines of tussur silk and wool.
 61. Two tussur fichus, in brown and drab, all tussur silk.
 62. Tussur silk chenille, in various colours, and cut in a variety of patterns.
 63. Pom-poms, tussur chenille, upholstery, tassel fringes, manufactured by Mr. A. W. Metcalf, 22, Nichol-square, London; dyed by Messrs. Joshua Wardle and Sons, Leek.
 64. Collection of furniture fringes, upholstery fringes, and curtain fringes (tussur silk), manufactured by Messrs. E. Bateman and Co., Limited, Tottenham-court-road, London.
 65. Tussur silk cords and pom-poms for trimmings, umbrellas, children's hats, ladies' dresses, manufactured by Mr. L. Abrahamsohn, Berlin.
 66. Assortment of coloured tussur pom-poms, made by Messrs. A. Kerr and Co., 59, Florida-street, Bethnal-green-road, London, E.C.
- The following articles, included in No. 63, are manufactured and lent by Messrs. W. and G. Kessler, Berlin :—*
67. A series of tussur chenilles, chenille fringes, trimmings, tassels, toy monkeys and swans, deep fringes of wool and tussur mixed, and pom-poms, manufactured and lent by Messrs. W. and G. Kessler, Berlin.
 68. Tussur silk chenille table covers, manufactured by Messrs. Anderson, Lawson & Co.; value, 35s. each.
 69. Series of satin damask and brocade of Indian tussur silk, manufactured by Messrs. Devaux and Bachelard, of Lyons; 1 metre each.
 70. Six samples of Indian native-woven bleached tussur silk, and three examples of Indian native-woven, unbleached tussur silk for dresses; printed by Thomas Wardle, Leek.

71. Indian tussur silk tram, dyed to the colour of fourteen precious stones, by G. C. Wardle, Leek.
72. Indian tussur raw silk, such as is used for the manufacture of pom-poms, dyed with aniline dyes by G. C. Wardle, Leek.
73. A bundle of three-threads organzine of Indian tussur silk, manufactured by Messrs. J. and T. Brocklehurst & Sons, Macclesfield.
74. Lace, manufactured by Messrs. J. Kirkbridge & Co., St. Mary's-gate, Nottingham; the patterned part is made of Indian tussur silk, thrown by Messrs. J. and T. Brocklehurst & Sons, Macclesfield.
75. Three opera shawls, or fichus, unbleached, machine-knitted, manufactured by Mr. Stimson, of Leicester.
76. Cream-coloured bleached opera fichu, of Indian tussur silk, lent by Mr. Maas, of Berlin; also pocket handkerchief and pieces of tussur silk for rain and dust cloaks, lent by Mr. Maas.
77. Pocket-book and garter elastic-webs, in which tussur silk is used, manufactured and lent by Messrs. Archibald Turner & Co., Bow-bridge Mills, Leicester.
78. One 10-yard piece of native woven tussur-silk "chadar" undyed, with red border, for women's wear; woven at Girdi, Bengal.
79. One 10-yard length of native woven tussur silk "dhoti," for men's wear; woven at Girdi, Bengal, undyed, with red border.
80. Indian tussur raw-silk, reeled by Messrs. Louis Payen and Co., at Berhampur.
81. Sample of Indian tussur 2-threads tram, 90 deniers, produced from the above raw silk; thrown in Italy.
82. Scarf of cotton warp and tussur-silk weft; manufactured by Messrs. Kershaw and Swindells, Macclesfield.
83. Three bottles of powdered tussur silk, for surface coating; a new French utilisation.
84. Native spun and woven undyed cloth, made of the silk of the Atlas worm, *Attacus atlas*, Nepal terai.
85. Native spun and woven undyed cloth, made of the silk of the Atlas worm, *Attacus atlas*, Nepal terai; red plaid on undyed ground.
86. Garment of Manipur silk of native manufacture and dye.
87. *La soie Chardonnet*, artificial silk, woven into broad silks and ribbons; the warp real silk, and the weft artificial silk.
88. *La soie Chardonnet*, artificial silk, in skeins, made from cellulose after conversion into gun-cotton and collodion; dyed in black and colours by G. C. Wardle, Leek.

LIST OF SILK-PRODUCING LEPIDOPTERA, BROUGHT UP TO THE PRESENT DATE.

Those marked with an asterisk are in my collection in the imago state. Of those marked with two asterisks I have both imago and cocoon. Of those marked thus (+) I have the larva, cocoon, and imago. Of those marked thus (†) I have the imago, larva, and chrysalis. Of those marked thus (‡) I have the cocoon only. Those not marked I do not possess in any stage, and I shall be glad to receive larvæ and moths but more particularly the cocoons of all or any of these species to assist me in the investigation of the physical properties and structure of the silk fibres of the Heterocera, a work in which I have for some time been engaged.

CLASSIFICATION.

ANIMALIA.

SERIES 2	Metazoa (Huxley)
SUB-SERIES 2	Deutrostomata
	+ Schizocoma
SUB-KINGDOM 5	Anthropoda
	Articulata
CLASS 4	Insecta
ORDER 7	Lepidoptera
	Glossata
SUB-ORDER	Heterocera (Moths)
Group	Bombycina

FAMILY.	GENUS AND SPECIES.	LOCALITY.
1. Sesiidae ...	<i>Trochilium apiforma</i> ...	Europe†
2. Heterogy- nidae ...	<i>Heterogyis penella</i> ...	" **
"	" <i>radoxa</i> ...	" "
3. Zygaenidae.	<i>Ino chloros</i> ...	" *
"	" <i>globularia</i> ...	Britain*
"	" <i>statices</i> ...	" *
"	" <i>geryon</i> ...	" *
"	<i>Zygena Pilosella</i> ...	" *
"	" <i>oxulans</i> ...	" "
"	" <i>meliloti</i> ...	" *
"	" <i>trifolii</i> ...	" *
"	" <i>loniceræ</i> ...	" "
"	" <i>filipendule</i> ...	" **
"	" <i>carniolica</i> ...	" **
"	" <i>Fausta</i> ...	" **
4. Nycteo- lidae	<i>Nicrothirpa undulana</i> ...	Europe*
"	<i>Erias vernana</i> ...	Britain*
"	" <i>clorana</i> ...	" *
"	<i>Hylophila prasinana</i> ...	" **
"	<i>Bicolorana</i> ...	" *
5. Lithosiidae.	<i>Nola cucullatella</i> ...	" *
"	" <i>togatulalis</i> ...	" †
"	" <i>strigula</i> ...	" *
"	" <i>confusalis</i> ...	" *
"	" <i>albula</i> ...	" *
"	" <i>centonalis</i> ...	" *
"	<i>Nudaria murina</i> ...	" **
"	<i>Setina irrorella</i> ...	" *

FAMILY.	GENUS AND SPECIES.	LOCALITY.	FAMILY.	GENUS AND SPECIES.	LOCALITY.
5. Lithosiidae.	<i>Lithosia mesomella</i> ...	Britain*	11. Liparidae.	<i>Orgyia gonostigma</i> ..	Britain
"	" <i>muscerda</i> ..	" *	"	" <i>antiqua</i> ...	"
"	" <i>griseola</i> ...	" *	"	" <i>ericæ</i> ..	Europe†
"	" <i>stramineola</i> ...	" *	"	" <i>josephina</i> ...	Algeria*
"	" <i>deplana</i> ...	" *	"	" <i>leucostigma</i> ..	North America.
"	" <i>burideola</i> ...	" *	"	<i>Dasythira confusa</i> ...	Amur
"	" <i>complana</i> ...	" *	"	" <i>selenitica</i> ...	Europe
"	" <i>caniola</i> ...	" *	"	" <i>pubibunda</i> ..	Britain
"	" <i>pygmaeola</i> ...	" *	"	" <i>fascelina</i> ..	"
"	" <i>sororcula</i> ...	" *	"	" <i>abletis</i> ...	Europe
"	" <i>quadra</i> ...	" *	"	<i>Orgyia canosa</i> ..	Britain
"	<i>Gnophria rubricollis</i> ...	" *	"	<i>Laridnigrum</i> ...	Europe
6. Arctiidae.	<i>Emydia stflata</i> ...	" *	"	<i>Leucoma salicis</i> ...	Britain
"	" <i>cribrum</i> ...	" *	"	<i>Perthesia chrysorrhoea</i> ..	" *
"	<i>Nemophila russula</i> ...	Jersey*	"	" <i>auriflua</i> ...	" *
"	" <i>plantaginis</i> ...	" *	"	<i>Psilura monacha</i> ...	" *
"	<i>Callimorpha dominula</i> ..	Britain*	"	<i>Ocnieria dispar</i> ...	"
"	" <i>hera</i> ...	" *	"	<i>Darala ocellata</i> ..	Indo-Australasia*
"	<i>Pteretes matronula</i> ...	Europe	"	<i>Murilda mutans</i> ...	" " *
"	<i>Arctia caja</i> ...	Jersey**	"	" <i>citrina</i> ...	" " *
"	" <i>flavla</i> ...	Europe	"	" <i>undata</i> ...	" " *
"	" <i>villica</i> ...	Jersey*	"	<i>Calepteryx collesi</i> ..	" " *
"	" <i>purpurata</i> ...	Europe†	12. Bomby-	<i>Bombyx Mori</i> ...	Italy, green co-
"	" <i>hebe</i> ...	" ††	cidas ...	" " ...	coons†
"	" <i>aulica</i> ...	" ††	"	" " ...	Italy, yellow co-
"	" <i>casta</i> ...	"	"	" " ...	coons**
"	<i>Ocnogyna parvula</i> ...	" †	"	" " ...	Italy, white co-
"	<i>Spilosoma fuliginosa</i> ...	Jersey*	"	" " ...	coons**
"	" <i>sordida</i> ...	Alps	"	" " ...	Japan white co-
"	" <i>mendica</i> ...	Jersey*	"	" " ...	coons†
"	" <i>lubricipeda</i> ...	" *	"	" " ...	China white co-
"	" <i>zafima</i> ...	Europe*	"	" " ...	coons†
"	" <i>menthrasti</i> ...	" *	"	" " ...	French white and
"	" <i>urticae</i> ...	" *	"	" " ...	yellow cocoons†
7. Hepialidae.	<i>Hepialus virescens</i> ...	New Zealand	"	" " ...	Broussa white and
8. Cossidae.	<i>Cossus cossus</i> ...	Europe	"	" " ...	yellow cocoons†
"	" <i>terebra</i> ...	"	"	" " ...	Cyprus large white
9. Cochlio-	<i>Heterogenea limacodes</i> ..	Britain*	"	" " ...	cocoons†
podae.	" <i>asella</i> ...	" *	"	" " ...	Cashmere co-
10. Psychidae.	<i>Psyche</i> ...	Senegal	"	" " ...	coons†
"	" cocoons found in the Tea-plant.	India	"	" " ...	Burma cocoons†
"	" cocoons ...	Natal	"	" " ...	Ceylon " †
"	" " ...	"	"	" " ...	Kashmir " †
"	" <i>unicolor</i> ...	Europe†	"	" " ...	Saharampur " †
"	" <i>fillosella</i> ...	" ††	"	" " ...	Cawnpur " †
"	" <i>ecksteini</i> ...	" ††	"	" " ...	Lahore " †
"	" <i>zelleri</i> ...	" ††	"	" " ...	Persia " †
"	" <i>plumifera</i> ...	" ††	"	" <i>rhadama</i> ...	Madagascar **
"	" <i>hirsutella</i> ...	" ††	"	" <i>fortunatis</i> ..	Bengal**
"	<i>Thyridopteryx cephe-</i>	North America	"	" <i>crossi</i> ...	Bengal**
"	<i>meretformis</i> ...	India	"	" <i>textor</i> ...	India**
"	<i>Euneta japonica</i> ...	"	"	" <i>meridionalis</i> ..	India**
			"	" <i>arracanensis</i> ..	Arracan & Bur-
			"	" <i>sinensis</i> ...	mah**
			"	" <i>processionalis</i> ..	India**
			"	" <i>borocera</i> ...	Riviera†
			"	" <i>cratzei</i> ...	North America
			"	" <i>populi</i> ...	Britain**
			"	" <i>francocma</i> ..	" **
			"	" <i>alpicola</i> ...	Europe**

FAMILY.	GENUS AND SPECIES.	LOCALITY.	FAMILY.	GENUS AND SPECIES.	LOCALITY.
12. Bombycidae	<i>Bombyx castrensis</i> ..	Britain†	14. Saturniidae	<i>Attacus jacobae</i> ...	"
"	" <i>neustria</i> ...	" †	"	" <i>maurus</i> ...	"
"	" <i>americana</i> ...	North America*	"	" <i>orizaba</i> ...	Mexico
"	" <i>innocens</i> ...	"	"	" <i>speculum</i> ...	South America**
"	" <i>henckei</i> ...	Rossmere *	"	" <i>sp.</i> ...	Demerara (G. H. Hawtayne, Esq.)**
"	" <i>lanestrus</i> ...	Britain†	"	" <i>arethusa</i> ...	South America*
"	" <i>catax</i> ...	Europe†	"	<i>Platysamia cecropia</i> ...	North America**
"	" <i>rimicola</i> ...	" †	"	" <i>columbia</i> ...	Columbia*
"	" <i>trifolii</i> ...	Britain†	"	" <i>ceonothi</i> ...	North America*
"	" <i>abserrula</i> ...	Spain†	"	" <i>calleta</i> ...	South America*
"	" <i>quercus</i> ...	Britain*	"	" <i>Gloveri</i> ...	North America
"	" <i>Rubi</i> ...	"	"	<i>Callosamia angulifera</i> ...	" **
"	" <i>ursula</i> ...	Africa*	"	<i>Samia promethea</i> ...	" *
"	<i>Crateronix dumi</i> ...	Europe*	"	<i>Telea polyphemus</i> ...	" **
"	<i>Lasiocampa potatoria</i> ...	Britain†	"	<i>Bunaea alcione</i> ...	Africa*
"	" <i>albomaculata</i> ...	Amoor*	"	<i>Bunaea cafferaria</i> ...	South Africa*
"	" <i>laeta</i> ...	" *	"	<i>Copaxa decensens</i> ...	South America*
"	" <i>pruni</i> ...	" **	"	<i>Syntheratra janetta</i> ...	Indo-Australasia**
"	" <i>sumatrensis</i> ...	Indo-Australasia*	"	<i>Antherea assama</i> ...	Assam**
"	" <i>kuercifolia</i> ...	Britain†	"	" <i>mylitta</i> ...	India**
"	" <i>populifolia</i> ...	Central Europe†	"	" <i>Frichii</i> ...	Sikhim*
"	" <i>tremulifolia</i> ...	Europe*	"	" <i>Helferi</i> ...	" *
"	" <i>ilicifolia</i> ...	Britain*	"	" <i>menippe</i> ...	Africa*
"	" <i>new species</i> ...	Indo-Australasia*	"	" <i>roylei</i> ...	India**
"	" <i>suberifolia</i> ...	France & Spain*	"	" <i>pernyi</i> ...	China**
"	" <i>pardale</i> ...	Indo-Australasia*	"	" <i>feltoni</i> ...	" *
"	" <i>junigera</i> ...	South Germany*	"	" <i>bellina</i> ...	Indo-Australasia*
"	" <i>ablobulina</i> ...	Britain*	"	" <i>yama-mai</i> ...	Japan**
"	" <i>pini</i> ...	Central Europe*	"	" <i>eucalypti</i> ...	Indo-Australasia*
"	" <i>bufo</i> ...	Europe & Siberia†	"	" <i>simplex</i> ...	Africa*
"	" <i>otus</i> ...	" †	"	<i>Caligula simla</i> ...	India**
"	" <i>Dieckmanni</i> ...	Siberia*	"	<i>Gyaniscia lais</i> ...	Africa*
"	<i>Megasoma repanda</i> ...	Europe*	"	<i>Neoris huttoni</i> ...	North-west Himalayas*
"	<i>Theophila huttoni</i> ...	India**	"	<i>Loepa katinka</i> ...	India†
"	" <i>mandarina</i> ...	China	"	" <i>miranda</i> ...	" *
"	<i>Demas coryli</i> ...	Britain*	"	<i>Hyperchiria io</i> ...	North America**
"	<i>Eriogaster proximo</i> ...	South America*	"	" <i>pamina</i> ...	South America*
"	" <i>hirtina</i> ...	" *	"	" <i>Metalii</i> ...	" *
"	<i>Hylesia canities</i> ...	Honduras†	"	" <i>liberia</i> ...	" *
"	<i>Titya undulosa</i> ...	South America*	"	" <i>orodes</i> ...	" *
"	<i>Mucromphalia chilensis</i> ...	" *	"	" <i>scapularis</i> ...	" *
"	<i>Boroceros posticia</i> ...	South Africa†	"	" <i>coresus</i> ...	" *
"	<i>Cnethocampa pityo-</i> <i>campacramels</i> ...	Africa*	"	" <i>viridescens</i> ...	" *
"	<i>Gangerarides roses</i> ...	Indo-Australasia*	"	" <i>euryopa</i> ...	" *
"	<i>Drymonia senatoria</i> ...	North America*	"	" <i>illustris</i> ...	" *
"	" <i>alba</i> ...	" *	"	" <i>complicata</i> ...	" *
"	<i>Nemereas trimacula</i> ...	South America*	"	" <i>salmonia</i> ...	" *
"	<i>Hydrias naceus</i> ...	" *	"	" <i>Beakei</i> ...	" *
"	<i>Gonometa postica</i> ...	Africa*	"	" <i>nyctimena</i> ...	" *
"	<i>Palustris Burmeisteri</i> ...	South America**	"	" <i>asgera</i> ...	" *
13. Endromidae ..	<i>Endromis versicolora</i> ...	" †	"	" <i>nyops</i> ...	"
14. Saturniidae	<i>Attacus atlas</i> ...	India†	"	<i>Brahmæa lunulata lode-</i> <i>ri</i> ...	Europe*
"	" <i>cynthia</i> ...	" †	"	" <i>Boisduvali</i> ...	" *
"	" <i>ricini</i> ...	" *	"	<i>Atlantica</i> ...	Europe†
"	" <i>insularis</i> ...	India*	"	<i>Saturnia pyri</i> ...	South Europe*
"	" <i>hesperus</i> ...	Guiana*	"	" <i>Schenkii</i> ...	"
"	" <i>aurota</i> ...	South America**			

SILK PRODUCERS OMITTED FROM THE LIST.

<i>Actias ignescens.</i>	<i>Loepa sikkima.</i>
" <i>loto.</i>	" <i>sivalica.</i>
" <i>manas.</i>	<i>Neur. shadulla.</i>
" <i>sinensis.</i>	" <i>stolughana.</i>
<i>Antheraea andamana.</i>	<i>Ociscara diaphana.</i>
" <i>confuc.</i>	" <i>lactea.</i>
" <i>mezankooria.</i>	" <i>moorci.</i>
" <i>nebulosa.</i>	<i>Rinaca zaleika.</i>
" <i>perrotteti.</i>	<i>Salassa lola.</i>
<i>Attacus canningi.</i>	<i>Saturnia anna.</i>
" <i>edwardata.</i>	" <i>carpink.</i>
" <i>guérini.</i>	" <i>lindia.</i>
" <i>lunula.</i>	<i>Theophila bengalensis.</i>
" <i>obscurus.</i>	" <i>religiosa.</i>
<i>Caligula cachara.</i>	" <i>sheri illi.</i>
" <i>thibeta.</i>	

FAMILY.	GENUS AND SPECIES.	LOCALITY.	FAMILY.	GENUS AND SPECIES.	LOCALITY.
11. Saturniidae	<i>Saturnia pyretorum</i> ...	Siberia *	16. Notodontidae	" <i>dromedarius</i> .	Britain*
"	" <i>spini</i> ...	South-East Europe & Western Asia*	"	" <i>chaonia</i> ...	" *
"	" <i>grotei</i> ...	Darjeeling	"	<i>Notodonta ab dodonea</i> .	" *
"	" <i>pavonia</i> ...	"	"	" <i>bicolora</i> ...	" *
"	" <i>galbina</i> ...	South America*	"	<i>Cophopteryx carmelita</i> .	" *
"	" <i>Jankowskii</i> ...	Europe*	"	" <i>camelina</i> ..	" *
"	" <i>diana</i> ...	Europe & Siberia**	"	" <i>cucullina</i> ...	" *
"	" <i>mendocina</i> ...	North America*	"	<i>Uropus ulmi</i> ...	" †
"	" <i>cæcigena</i> ...	Europe and Western Asia**	"	<i>Asteroscopus Sphinx</i> ...	" *
"	<i>Actias isabella</i> ...	Spain†	"	<i>Pterostoma palpina</i> ...	" *
"	" <i>artemis</i> ...	Siberia*	"	" <i>nubeculosus</i> ..	" *
"	" <i>luna</i> ...	North America**	"	<i>Gluphisia crenata</i> ...	" *
"	" <i>selece</i> ...	India**	"	<i>Ptilophora plumigera</i> ..	" *
"	<i>Agria tau</i> ...	Central Europe & Northern Asia*	"	<i>Pygæa anastomosis</i> ...	" ††
"	<i>Polysthana rubescens</i> ...	South America**	"	" <i>curtula</i> ...	"
"	" <i>andromeda</i> ...	" *	"	" <i>anachoreta</i> ..	"
"	<i>Hemilouca maja</i> ...	North America*	"	" <i>pygra</i> ...	"
"	" <i>nevadensis</i> ..	" *	17. Cymatophoridae	<i>Thyatira Batis</i> ...	Europe†
"	<i>Rhesocytis erythrina</i> ...	South America*	"	<i>Asphalia ridens</i> ...	"
"	" <i>pandora</i> ...	" *	"	<i>Simyra venosa</i> ...	" †
"	<i>Eudella rufescens</i> ..	" *	"	<i>Diloba cæruleocephala</i> .	Britain
"	<i>Urota sinope</i> ...	Africa*	"	<i>Arsilochia albovenosa</i> .	"
"	<i>Micrattacus dissimilis</i> ..	South America*	"	<i>Clidia Geographica</i> ...	" †
"	<i>Mimallo despecta</i> ...	" *	"	<i>Polia canescens</i> ..	" †
"	<i>Cyrtogone herilla</i> ...	Africa*	"	<i>Panthea comobita</i> ..	" †
"	<i>Molippa sabina</i> ...	South America*	"	<i>Mamestra persicaria</i> ...	Saxony
"	<i>Coloradia venata</i> ...	" *	"	<i>Valeria oleagina</i> ...	Europe†
"	<i>Dirphia tarquinia</i> ...	Cayenne**	"	<i>Hadnen porphyrea</i> ...	" †
"	" <i>vulpina</i> ...	South America*	"	<i>Eriopus Latrullii</i> ...	" *
"	" <i>cinnamomea</i> ..	" *	"	<i>Trachea atriplicis</i> ...	" *
"	" <i>marginata</i> ...	" *	"	<i>Eusebia lucipara</i> ...	" *
"	" <i>glauca</i> ...	" *	"	<i>Dicycla Oo</i> ...	" ††
"	" <i>speciosa</i> ...	" *	"	<i>Cucullia verbasci</i> ...	"
"	<i>Ceratocampa regalia</i> ..	" *	"	" <i>scrophulariae</i> ...	Britain*
"	" <i>imperialis</i> ..	North America*	"	" <i>lactuce</i> ...	Europe*
"	<i>Rhodia newera</i> ...	India	"	" <i>chamomillæ</i> ..	"
15. Drepanulidae	<i>Drepana lacerta</i> ..	Britain**	"	" <i>tanecti</i> ...	"
"	" <i>harpagula</i> ...	" *	"	" <i>argentea</i> ...	" †
"	" <i>falcataria</i> ...	" **	"	<i>Eurhipia adulatrix</i> ...	" †
"	" <i>binaria</i> ...	" *	"	<i>Plusia triplasia</i> ...	" †
"	" <i>cultraria</i> ...	" *	"	" <i>moneta</i> ...	" *
"	<i>Cilix glaucata</i> ...	Europe*	"	" <i>festuæ</i> ...	" †
"	<i>Cricula trifenestrata</i> .	India†	"	<i>Aedia funesta</i> ...	" †
"	<i>Lonemoia albigitula</i> ...	South America*	"	<i>Thalpoahares Dardouini</i> .	" †
16. Notodontidae	<i>Harpyia furcula</i> ...	Britain†	"	" <i>Rosea</i> ...	"
"	" <i>bifida</i> ...	" †	"	<i>Erastris Venustula</i> ...	" *
"	" <i>vinula</i> ...	" †	"	<i>Catocala sponsa</i> ...	Britain*
"	<i>Stauropus fagi</i> ...	" *	"	" <i>promissa</i> ...	Europe†
"	<i>Notodonta tremula</i> ...	Britain.	"	<i>Spintherops spectrum</i> ..	" †
"	" <i>dictæoides</i> ...	" *	18. Noctuidæ	<i>Heterocampa subrotata</i> .	North America*
"	" <i>ziczac</i> ...	" *	"	" <i>quadrata</i> ...	South America*
"	" <i>tritophus</i> ...	" *	"	" <i>amazonic</i> ...	" *
"	" <i>trepida</i> ...	Europe**	"	<i>Edema albifrons</i> ...	North America*
"	" <i>torva</i> ...	" *	"	<i>Cnethocampa processio-</i> <i>nea</i> ...	South and Central Europe*
			"	" <i>pityocampa</i> ..	North Germany*

FAMILY.	GENUS AND SPECIES	LOCALITY.
18. Nocturae ...	<i>Cuethocampa pinivora</i> ...	Europe**
"	" <i>Herculeana</i> ...	" *
"	<i>Loma orion</i> ...	Britain
"	<i>Diphthera ludifica</i> ...	Europe**
"	<i>Acronycta auricoma</i> ...	Britain*
"	" <i>menyanthis</i> ...	" *
19. Geometrae	<i>Odontopora bidentata</i> ...	Britain**
"	<i>Eugonia autumnaria</i> ...	" **
"	<i>Pericallia Syringariae</i> ...	Europe†
"	<i>Eugonia fuscantaria</i> ...	" *
"	<i>Eplone Apiciaria</i> ...	" †
"	<i>Acidalia luteola</i> ...	Britain†
"	<i>Numeria pulverari</i> ...	" ‡
"	<i>Cidaria sagittata</i> ...	" †
"	<i>Eucosmia cortata</i> ...	" ‡
"	<i>Eupithecia togata</i> ...	" ‡
20. Galleriæ	<i>Galleria mellonella</i> ...	"
21. Tortricina	<i>Tortrix viridana</i> ...	" *
22. Talaepo- ridæ ...	<i>Talæporia politella</i> ...	Europe**
"	" <i>pseudobom-</i> <i>bycella</i> ...	" †
"	<i>Solenobia clathrell</i> ...	" **
"	" <i>poineti</i> ...	" **
"	" <i>Triquetrella</i> ...	" †
23. Lypsidæ	<i>Psilothrix dardainella</i> ...	" **
24. Tineidæ	<i>Tinea pellionella</i> ...	" †
25. Hypono- muscidæ	<i>Hyponomeuta evony-</i> <i>mellus</i> ...	" *
"	" <i>plumbellus</i> ...	" "
"	" <i>padellus</i> ...	" *
26. Puteo- lidæ ...	<i>Cerostoma Denitella</i> ...	"
27. Pyralidi- dæ ...	<i>Eurycreon (Dotys) Tur-</i> <i>bidalis</i> ...	" ‡

DISCUSSION.

Sir GEORGE BIRDWOOD said that Mr. Wardle had attributed too much credit to him, in saying that he was the first to draw attention to the possibility of utilising the tussur silk of India in European manufacture. He had simply not neglected his duty with reference to this interesting silk, whether in connection with the Victoria and Albert Museum, at Bombay, and the India Museum here, or the various international exhibitions held since that of 1851. But, long before his time, the capabilities of tussur silk had been noticed by English naturalists in India; and in certain parts of India—in the Deccan, particularly in the valleys of the Kistná and the Godavary, and throughout the Circars to Orissa, and again on the north-western borders of Hindustan—tussur silk had been woven from time immemorial ;

and he was of opinion that the earliest silk known to the ancients was tussur, and not mulberry silk. Dr. Roxburgh, a hundred years ago and more, had, in the seventh volume of the Linnean Society's "Transactions," fully described the preparation of tussur silk in Bengal. But all this had been overlooked and forgotten; and, coming down to our day, it was Mr. Edwin Heycock,* who at the meeting convened by him at Bombay, in 1858, to commemorate the assumption of the direct government of India by the British Crown, by founding the Victoria and Albert Museum, holding up a tussur cocoon before the assemblage, observed that the great use of the museum would be in bringing to light waste Indian products, such as their neglected source of cheap silk. His apt illustration of the potential benefits to be derived from an economic museum at Bombay was received with unbounded enthusiasm, and the incident having been reported all over the world, from that dramatic moment the wild silks of India were never again lost sight of by the manufacturers of the West; with the result, thanks to Mr. Wardle's enthusiastic researches, and Sir Philip Cunliffe-Owen's strenuous advertisement of them at Paris, in 1878, so ably recorded in the paper just read, and further shown in the sumptuous tussur fabrics with which Mr. Wardle has draped these walls. What Mr. Wardle had exactly done in the matter was to make tussur silk merchantable in the same way as mulberry silk, and even to a greater extent; and he had done this by having discovered the means of removing from the fibre of the tussur silk the resinous sheath with which it is naturally invested. Before he had found the means of removing the resinous sheath from it, it would take only certain very dark, not to say lugubrious dyes; but now that, through Mr. Wardle's processes, the resinous sheath can be removed, tussur silk will take nearly every dye that mulberry silk takes, and can be used by manufacturers as widely as the latter, if not more so; for while tussur silk, without its resinous sheath, takes all our lighter dyes, with its resinous sheath on, it still, of course, takes all the darker dyes with which it has so long been associated. There is, therefore, a great and a growing future before it; and it is indeed impossible to exaggerate the importance

* This gentleman was Sheriff of Bombay for 1858; and he was also the author of a thick duodecimo volume, which went through two or three editions, on "The Exodus of the Israelites out of Egypt," the object of which was to prove from Jewish prophecy that Egypt was predestinated for the English. He was almost singular among the merchants of his day, in Western India, in knowing anything of the country and its people beyond the limits of the town and island of Bombay. Yet a more eminent exception to their ruling ignorance in this respect was Mr. Walter R. Cassels, the author of an invaluable report on "Cotton and its Culture in the Bombay Presidency" (Bombay, 1862); and of a most dainty duodecimo volume of transcendental poetry, entitled, "Eidolon, or the Course of the Soul," published by Pickering, 1850. Mr. Walter Cassels was the brother of Mr. Andrew Cassels, for so many years a Member of the Council of the Society of Arts, and also of the Secretary of State for India.

of the services rendered by Mr. Wardle to every tussur-producing country of the East. He is certain to be recorded in history as one of their best benefactors, and Sir Philip Cunliffe-Owen's name will always be associated with his in this connection. Unfortunately nearly all the benefit of Mr. Wardle's researches had been taken advantage of by the Chinese, and not by the people of India, for whom they were expressly undertaken. What the explanation might be he could not say, but a part of it must, he feared, be attributed to the want of commercial enterprise in the people themselves. But still they must benefit by Mr. Wardle's life work in the end. He was sorry to say anything that might seem harsh of Mr. Wardle on an occasion of so much justifiable congratulation. But in one part of his paper Mr. Wardle had slipped into the error of speaking of the "regular results" he "hoped" would be obtained by improved processes of reeling tussur silk in India. Why one of the accidental artistic qualities which made Indian textile fabrics so "precious" in the eyes of persons of "taste" was dependent on the "irregular results" of the primitive, traditional methods still followed by the people of India in spinning silk, wool, and cotton. These irregular results gave a surface play of light and shade, the absence of which was one of the most marked defects of mechanical spinning and weaving. It was an extraordinary illustration therefore of inborn perversity that a man of Mr. Wardle's genuine artistic sensibility should praise the anticipated "regular results" of the Italian methods of spinning that are being introduced into India. But he did not mean what he said, and had but slipped with his tongue. It reminded him of a resolution moved at the Indian Congress of 1887 by a Hindu gentleman, condemning the people of India for going on spinning and weaving in exactly the same fashion as their forefathers 3,000 years ago, as if it was possible to improve on perfection! Again, Mr. Wardle spoke of "ameliorating the natural colour of tussur silk," by scorching it to a leprous white with oxygen. And, worst of all, he spoke of the production of artificial silk fibre from celluloid as "progress." The next step in this sort of "progress" would be the production of celluloid silk in sheets, like "mackintosh." That sort of "progress" was simply damnable. He must, however, unreservedly congratulate Mr. Wardle on his paper, and thank him for the fulness with which he had illustrated it, by the splendid tussur stuffs hung round the room. He must also express his personal thanks to her Ladyship for presiding. It was the first time a lady had presided at a meeting of the Society of Arts, and he sincerely trusted it would not be the last. In conclusion, Sir George Birdwood read a letter from Mr. Lazenby Liberty, expressing his regret at not being able to be present at the meeting and testify personally to his sense of the vast importance of Mr. Wardle's labours in developing the utilisation of tussur silk,

and, acknowledging also the great impulse he had given during the last few years to the reviving of silk manufactures of the United Kingdom.

Mr. LEWIS DAY said that he had no claim to speak on the subject, which was more scientific than artistic; but so far as art was concerned, Mr. Wardle had abundantly proved that tussur silk lent itself to beautiful effects of colour, and all artists must be thankful to him for having brought about its introduction. He agreed with Sir George Birdwood as to the beauty of Oriental dyeing; it was a mistake to try to equalise everything, as British merchants endeavoured always to do. What difference there was between tussur silk and mulberry silk, so far as colour was concerned, seemed rather to the advantage of tussur silk. There was a certain tone in the silk itself which helped to qualify the raw colours too frequently used.

Mr. MARTIN WOOD considered that Mr. Wardle had done immense service to India and England, by neutralising its adverse conditions and thus utilising tussur silk, although the Chinese had sent it to this country long before. The examples which had been given of perseverance, and overcoming the essential difficulties of dyeing the fibre, were worthy of all praise. Whilst he had done so much, he (Mr. Wood) should like to point out another direction in which similar efforts might be taken with great advantage; and that was with regard to the tussur being improved by crossing it with the Japan moth which was similar to the moth described by Mr. Wardle as feeding upon the oak. The hybrid worm produced a very fine silk, it being free from the resinous substance which had prevented tussur silk from being dyed. Mr. Wardle did not wish to displace from its queenly position the *Bombyx mori*, but its sway was restrained by the fact that the mulberry tree could not be grown in all parts of India. One advantage of tussur silk was that it was wild and cost nothing to produce; but shortly there would be great difficulty in obtaining it, so the supply would become limited. When that happened, the cost would consequently be increased, and hence arose the necessity for cultivating it. If that had to be done, it would be worth considering whether it would not be better to cultivate the superior moth to which he had just referred. So long ago as 1882, and again in 1887, he pointed out, in the *Journal*, that this superior moth could be cultivated in every part of India, and it would fill the place between the tussur moth and the *Bombyx mori*; for trees suitable for the hybrid moth grow in all parts of India.

Sir PHILIP CUNLIFFE-OWEN, K.C.B., K.C.M.G., said that he wished more interest were taken in India itself in Mr. Wardle's life-long labours to develop the use of the wild silks of that country. He at first became interested in the subject in the early part of

1874, when he received quite a mysterious visit from Mr. Wardle, who came to him for assistance in the investigations he then commenced on behalf of the India-office regarding the utilisation of tussur silk. Since then, he had closely followed every step in the remarkable developments of Mr. Wardle's labours with ever growing satisfaction; it was, indeed, a cause of pride to him to-day, as he was sure it must also be to Mr. Wardle, to see hung all round this room such a magnificent display of the results of his researches—so fruitful of good to India and China, and carried out in such a wholly disinterested, and, indeed, self-denying spirit by himself. He was especially proud of the part he had taken in the Paris Exhibition of 1878, in drawing attention to Mr. Wardle's exhibits on that occasion, when not only was a Grand Gold Medal of Honour given for Indian teas, but a second Grand Gold Medal of Honour for Indian silks. A number of lesser medals were also secured for the Indian teas; and it was these awards which advertised Indian teas and tussur silk all over the world, and the wonderful increase in the use of Indian teas in every part of Europe, and of tussur silk in France since 1878, was entirely due to these signal awards. The world owed a deep debt of gratitude to Mr. Wardle for his persevering efforts; and he hoped the India-office would translate his paper into French, German, and Hindustani, and scatter it broadcast through Europe and the United States and India. They would, indirectly, reap a rich reward for it.

Lady EGERTON said she had learned a great deal from the interesting paper read by Mr. Wardle, and the way in which it had been illustrated by the different specimens shown must appeal to every feeling. From the cursory inspection which she had made of the silks, they appeared to be very thin. Her own experience of tussur silk was that when made into a dress it fell in irregular folds, and she should like to know from Mr. Wardle whether it could not be manufactured so as, when made up, to fall in artistic folds, the same as mulberry silk.

The vote of thanks to the author having been carried,

Mr. WARDLE, in reply, said some of the fabrics were very thin, and some very thick; but there were a great number of varieties between the two. A fabric, such as that required for the best purposes of dress, would never equal those of the best silk; but there were a great many purposes for which it could be used, chiefly for furniture silks, and for cloaks and shawls, and even for dress secondary only to best silk; but one of its chief uses was for trimmings and chenille, in which very successful effects were produced, both on the Continent and in England, as these beautiful and artistic samples proved. The silk was naturally harder than the silk of commerce, and always would be. It would scarcely fall in such

graceful folds as mulberry silk, but it perhaps might, if judiciously mixed with other silks. The way tussur silk was woven in the crude looms in Bengal was such as to make it harsh; but some of the Lyons specimens which he had brought would fall into excellent folds, as also two specimens of figured damasks, which he omitted to notice, but which he now handed to Lady Egerton; and he was glad to be able to state they were manufactured in London. They were very beautifully made, and seemed to meet every requirement. There were also three shawls on the wall that were made in Leicester, and one made in Berlin, the cream colour in the latter being produced by means of the action of nascent oxide on the fibre. It was most gratifying to him to hear his labours so well spoken of both by Sir George Birdwood and Sir Philip Cunliffe-Owen. Such generous recognition of work was in itself no slight reward; but it was necessary for him, in order to correct any misapprehension which might arise as to the nature of Sir George Birdwood's remarks about manufacturing and dyeing operations, to say that if Sir George had been a manufacturer he would have looked at the question of what he calls "regular results" from an industrial point of view. In his present remarks he simply looked at it in an æsthetic sense. With all respect for the artistic side of the question, he must enter his protest against any defence or encouragement of imperfect and slovenly work. The native reeling of tussur cocoons in India was very imperfect; of that there could be no manner of doubt. It surely could not be artistic or æsthetic to pull off a thread from the cocoon, which the worm had deposited in perfect order, in a disorderly rabble, and he would refer Sir George to the remarks in his paper which, for want of time he had been obliged to omit reading, where he referred to cocoon reeling, and to what the French termed *duvet*. Could it be defended that if a ball of worsted had to be unwound into a skein, that the skein should become a series of tangled rabbles. That was exactly the case in most of the native Indian and China reeling of tussur cocoons. With regard to the bleaching of tussur silk, the same line of defence must be taken up. It was all very well to defend natural results, but everything that had been done in the direction of improving the dyeing of this silk had been done in an artistic direction; inasmuch as both the natural colours of the raw tussur silk of India and China was simply that of a dirty drab, in which state it was not possible even to dye into the warm artistic tones of colour. The Indian people themselves had tried, but for centuries with the worst results. Now that the so-called resinous brown colouring-matter can be discharged, tussur silk can be dyed into those most delicate and beautiful shades of colour which Indian people themselves love so much to wear; and it never could have been accomplished without the removal of what is simply a dirtystain. And Mr. Day was in error in thinking that the drab tone of tussur silk aided the effect of applied colour; the very reverse of this was the case.

about ten o'clock at night, where I waited for the night mail, which took me to Bankipur for Gaya.

GAYA.

I arrived at Gaya the next day, on the 29th of January, 1886, at 10 o'clock, where I met Dr. Macleod, to whom I had a Government letter of introduction.

This centre of religious places is held in veneration by Hindoos, both in the adjoining semi-mountainous country and in the plains abounding with historic rock-temple remains of the great Buddhist faith, now extinct, but which in almost prehistoric times prevailed there, culminating at Buddha Gaya, about six miles from Gaya. The town of Gaya has a population of 76,000, 60,000 of whom are Hindoos. Part of the town is occupied by the residences of the priests, and there is also the trading quarter.

I found a rather large tussur cocoon collecting centre at Gaya, collectors penetrating the vast jungles south of Gaya and far into the extensive division of Chota Nagpur, of which the towns of Hazaribagh and Ranchee, respectively about 60 and 120 miles distant from Gaya, are well-known centres of tussur cocoon production; the neighbourhood of Ranchee being also where I first obtained the interesting cluster cocoons of grape-like growth of the *Cricula trifenestrata* worm, which excited so much attention at its first introduction into England in the Silk Culture Court of the Colonial and Indian Exhibition in 1886.

At Gaya I found tussur cloths of this description being woven, and consequently a good deal of cocoon reeling done in the same manner as at Fatwah and Arrah. Here are samples of two qualities of tussur reeled raw silk I brought from there. It is of superior quality, being fairly well reeled, and this is a 10-yard piece of their weaving.

I bought two bundles of native reeled tussur raw silk for eight annas. The price of cocoons was 10 annas per 1,500, or 1s. 3d.

The tussur cloth weavers earn four to six annas per day, and have besides a bonus of two annas per piece.

The cocoon reelers at the adjoining villages of Gunyat Gaya and Mannpur use *horeh*, a decoction of the Myrobalan nut, the fruit of *Terminalia chebula*, in reeling the cocoons; before reeling them, they boil the cocoons two or three hours in *sagi-mati* to soften them.

The reelers earn 3 rupees per month, they

are provided with two meals a day, and some clothing every six months. They work seven days per week, thus earning 2 annas per day. There are 16 annas in a rupee, and reckoning the Indian value of a rupee at 2s, an anna is worth 1½d.

After having visited the bazaars of Gaya, and seen their primitive basket and pottery making, I made the customary pilgrimage to Bodh Gaya, or, as Sir Edwin Arnold spells the first word, Buddha. Gaya is also spelt Gya.

My visit to Buddha's shrine, and to the scene of his retirement at the Great Renunciation, was in obedience to an irresistible impulse caused by reading and re-reading Sir Edwin Arnold's "Light of Asia."

"Thou, who wouldst see where dawned the light at last,
North-westwards from the 'Thousand Gardens,' go
By Gunga's valley till thy steps be set
On the green hills where those twin streamlets spring,
Nilaján and Mohána; follow them,
Winding beneath broad-leaved mihda-trees,
'Mid thickets of the san-sar and the bir,
Till on the plain the shining sister meet
In Phalgá's bed, flowing by rocky banks
To Gáya and the red Barabar hills."

"Near it the village of Sonani" reared
Its roofs of grass, nestled am'dst the palms,
Peaceful with simple folk and pastoral toils.
There in the sylvan solitudes once more
Lord Buddha lived, musing the woes of men,
The ways of fate, the doctrines of the books,
The lessons of the creatures of the brake,
The secrets of the silence whence all come,
The secrets of the gloom where to all go,
The life that lies between."

Light of Asia

The great tower-temple, the *pápal* tree under which he sat, his five years of meditation, the ruins of a sublime past architecture, the pilgrimage of thousands annually to this shrine, I must not here describe.

Let it suffice me to say that this great land of the tussur silk teems with interest, and calls out for the encouragement of Imperial attention quite as loudly as do also the requirements of the smaller and more valuable silkworms now perishing with diseases in the old East India silk districts.

ARRAH.

My visit to Gaya being ended, I went to Arrah, and I will now say a few words about my visit to that place.

Arrah is a municipality in the Shahabad district, in Bengal, a few miles south of the Ganges, with a population of between 40,000 and 50,000—30,000 of whom are Hindoos, and the rest Mahomedans, with about forty Christians.

FIG. 30.



FUTVAH SILK WOMEN: MOTHER, DAUGHTER, AND DAUGHTER'S CHILD: THE MOTHER REELING
TUSSUR COCOONS.

FIG. 31.



MOTHER AND DAUGHTER: THE DAUGHTER WINDING BURNI, OR WEFT, FROM THE HANI-REEL TO
SMALL SHUTTLE SPOOLS OR SQUILLS.

It is 196 miles from Calcutta. It is celebrated from the prominent part it played in the Mutiny, when a small two-house-made garrison of twelve Englishmen—under Mr. Herwald Wake, an Arrah magistrate, and Mr. Boyle, a civil engineer—successfully and gallantly held their own for a week against 2,000 mutinous sepoys, until they were relieved by Major Vincent Eyre.

I went to Arrah to see some improved reeling apparatus, devised by a Mr. Peppe, an opium duty collector of that place, from whom I received much kindness. He was trying to establish a tussur cocoon reeling industry there. I need say no more than that I found him producing silk of very good quality; but I thought his system rather less promising than that of the Tavelette Keller (see Fig. 19, p. 14). Mr. Peppe was employing a woman and her daughter whom he had selected from amongst the silk-workers at Fatwah to learn to work his new reeling apparatus; the mother being a cocoon reeler, and the daughter a silk-winder. They very obligingly showed me their native methods of reeling and winding. They are very rude methods, and with very varying and more or less imperfect results. The cocoons are softened with *sagi-mutta*, an impure carbonate of soda, to which cow dung is sometimes added, and the process is then as shown in my drawing, which is from a photograph of the reeler and her daughter, taken at Arrah for me by Mr. Peppe.


Fig. 30 (p. 24) shows the native system of silk winding.

The woman gathers the ends of three, four, five, or six cocoons, according to the thickness of thread required. The ends are fastened to a hand-reel, like Fig. 32, but four-sided, and not flat in its frame-work, which she holds and revolves in her right hand; the threads are drawn off the softened cocoons, which rest on a dish on the floor, after the manner of unwinding a ball of worsted, and, passing over the woman's bare thigh, are rolled into one, by swift rubbing motions down the thigh with her left hand, as you observe in the drawing, and continuously wetting the threads as she rubs them with an astringent soapy decoction of the nuts of *Terminalia chebula* or *myrobalana*, which they told me fixes the thread. When the silk is taken off the reel, it is in short, dumpy skeins, like these samples which I saw reeled in this way.

The inferiority of this system of cocoon reeling to that at Behrempore, in the filatures of

Messrs. Louis Payen & Co., is strikingly shown by comparing these native reeled raw silks with those reeled by their European

FIG. 32.



TUSSUR HAND REEL.

method. Fig. 32 shows the application of the European system of this work.

PATNA AND FATWAH.

From Arrah, I went to Patna, with Mr. Peppe. Patna is a city, and is situated on the Ganges, a little east of Arrah. It has a population of upwards of 170,000, 74 per cent. of whom are Hindoos. It is celebrated for the massacre which took place there in 1765, and for the prominent part it played in the history of the Mutiny in 1857. The city has a very primitive and un-English aspect, many of the roads or streets being mere mud paths, only three or four feet between the mud houses.


But, as we could find but very little trace of tussur reeling or weaving here, we took train, and went on to Fatwah, a town on the Ganges, of about 12,000 inhabitants, but seldom visited by Europeans. We were told we were the first Europeans who had ever entered the tussur houses. The townspeople regarded us with great suspicion, fearing an interference with their industry. We were followed about by a large crowd, who threw stones into one of the

compounds we visited, and had it not been for Mr. Peppe asserting his Government authority, I do not think we should have escaped without injury. In one of them we saw the household priest making red and white clay idols, for family worship. Here, I found a considerable tussur trade, and I was much interested with my visit.

I saw the stores of several tussur cocoon merchants, who collected tussur cocoons from the neighbouring jungle villages, and either

sold them to reelers, or, as in several instances, employed women to reel them in picturesque single story compounds; with an open square of about ten yards, containing large heaps of tussur cocoons, and bounded on all four sides with sheds or verandahs supported on very handsomely carved teak pillars, in which sat the women, who were reeling the cocoons by hand exactly in the manner shown in the drawing of the Arrah women. After seeing the method, and pointing out to

FIG. 33.



COCOON-REELING TABLE (EUROPEAN SYSTEM).

A. Bassine. B. Furnace. C. Filière. D. Tavelette Keller. E. Winding frame. F. Reel.

the merchants the improved Italian method by the tavelette I took out with me (Fig. 19). I visited the weavers, who were weaving cloths of tussur silk warp and cotton weft. The warp is termed "Tarni," which means to pull, and the weft or shuttle "Burni," which means to fill. Their name for shuttle is "Durni." Fig. 34 (p. 27) shows their "tarni" twister, and Fig. 35 (p. 27) their "burni" quills, or bobbins. The cloths are mostly woven in plaids; I bought several pieces. One of the

cocoon merchants told us that 25,000 rupees worth of cocoons passes through his hands yearly. The native uses of Indian tussur are various. The cocoons are used in some districts, when cut into strips like peeling an apple, for tying matchlocks, for tobacco-boxes like this one, for jingle bells, as in this wood-cutter's knifebelt from the Kolabar district, for Chadars, Dhoti's, and other woven fabrics, wholly or in part tussur, like these from Behrempore and Gaya


PRESENT EUROPEAN USES OF TUSSUR SILK.

In describing the present European applications of this jungle fibre, it is necessary to guard myself from being misunderstood. I do not intend to sing pæons of praise in favour

FIG. 34.



FIG. 35.



of it, nor shall I praise it for praising's sake. Nor after all these long years of working for it, and of seeing it at last so successfully applied (as I can show you something better than the coarse native woven cloths which I have described and shown),

shall I be considered a mere enthusiast. The facts which I have to describe, and to illustrate by the interesting series of exhibits before you will speak for themselves, and will assert better than words the splendid results of efforts made by manufacturers in various parts of Europe to utilise this silk, so that it could present itself to good advantage. The truth, however, must and ought to be told about it. A sceptical world must be shown that to those who persevere nothing is impossible. I do not, however, wish it to be considered that I think this wild silk is destined to displace the more refined and beautiful round fibre of the *Bombyx mori*. It cannot, and if it could, I hope it never would.

But it must be admitted there are many purposes in which, if applied in such a manner as to suit all the requirements demanded of the fabric and by the user, on the score of economy and the prevention of useless expenditure, which is thrift, it becomes a duty to use the less expensive material.

The old prejudices against the utilisation of tussur silk are fast passing away, and manufacturers who looked upon it doubtfully, and even with strong prejudice, a few years ago, are now bound to admit that fabrics spun or woven from the waste of this silk, are products of such superiority and beauty as to have utterly upset their ideas as to what could be produced from it. Take the case of seal-plush alone, and see what a charming product it is. Lighter, more lustrous, durable, and more healthy to wear than sealskin, it is a marvellous fabric. Yet it is made out of the waste, or short ends left from the various operations of the manufacture of tussur silk. It is to tussur silk exactly what spun silk is to the ordinary silk of commerce. It is, in fact, tussur schappe. Here are examples:—First, of the reeled tussur; secondly, of the tussur waste; thirdly, of the yarn spun from the raw and from the waste by Messrs. D. and J. Bradwell, Congleton; fourthly, the same yarn dyed; and fifthly, the velvet or plush-piled fabric, so extensively used during the last few years for ladies' over-mantles, and called seal-cloth. It is soft as fur, and quite as durable.

My wife has worn a dolman made of this material for several years, and it is now almost as good as it was at first. Being porous, this cloth does not repress perspiration, whilst a garment made of skin is not without its dangers. Besides, the skill educated in reeling, spinning, weaving, and the

cutting of the deep pile which has been brought to such great perfection; besides, the dyeing of it in the piece, afterwards finishing it by elaborate machinery, so that the velvety appearance and the erectness of the pile shall be so perfectly maintained, is most praiseworthy, and I consider it a marvel of manufacturing skill and cheapness. For some time its price was more than £2 a yard, and even as high as £3, but now tussur seal-cloth of this excellent quality can be bought in the shops at 14s. per yard, 54 inches wide.

So extensive has this branch of industry become in Yorkshire, that sufficient waste tussur could not be procured, and enormous quantities of reeled raw-silk tussur have been used. Thus, a most surprising anomaly has for the first time in the history of silk-manufacture in any country occurred. Raw silk has been obliged to be purposely made to supply this demand, that is, that tussur cocoons which have been reeled into raw silk have had to be cut up in that state into short lengths like waste, that is, to reduce the length of the fibres from a long continuous thread into short pieces of a few inches only, so that they could be carded and spun like cotton and wool into the yarns necessary to be woven into seal cloth.

So here is a unique example of a silk which, in the reeled state, is worth 4s. to 5s. per pound, in order to supply a demand, has to be first reduced to the state of waste, to a value of 1s. to 2s. per pound—the price of tussur waste—because of the persevering efforts of manufacturing skill to carry to the furthest limit the utilisation of a fibre which, twenty-five years ago, every one looked down upon with contempt, and condemned as utterly useless; so much so, that I well remember, when I first conceived the idea that, owing to the greater thickness of the fibre of tussur silk, it would be more suitable for pile-stuffs than ordinary silk, and that in a plumose form might be found its most likely destiny and its best application, I applied in vain to several English manufacturers to try it as a velvet or plush, but to no purpose. Each one thought my ideas visionary. The idea of the measuring of the diameter of a fibre had never entered into a manufacturer's head; the furthest his practice would carry him was to discriminate between the various sizes and thicknesses of "raw silk," which, as you know, consists of a bundle of many ultimate fibres. Each one I appealed to turned a deaf or derisive ear to me; some laughed at me; others said it was

quite impracticable to make anything of that rubbish, it had often enough been tried before. But my conviction was not so easily cured. I took a quantity I had dyed black to Crefeld, in Rhenish Prussia. The first manufacturer said he had tried before; it was no use attempting to weave it into velvet. I went to another, and asked him if he would manufacture it into a velvet for me, and I would not only be content with the result, however it might turn out, but would pay him for manufacturing it.

The result, for a first trial, was highly satisfactory, and I have here a small piece of this original product. At the Paris Exhibition and afterwards, Sir Philip Cunliffe-Owen was taking an interest in my efforts, and he placed this piece in the South Kensington Museum, where it has been for many years. He also had it placed, with other utilisations of tussur and other Indian wild silks, in the Indian Section of the Paris Exhibition of 1878. I believe this specimen of tussur-silk velvet, or plush, to be the first plumose fabric ever made from this species of silk. It was made about the year 1872.

Very soon after, the Yorkshire spinners took it up. One firm, seeing my Crefeld example in the South Kensington Museum, wrote to me that he did not believe it was tussur silk, and asked me for a pattern of it, saying if it was really tussur silk they could use large quantities. I sent them one, and in a few years they had made a prosperous business in the manufacture of seal-cloth.

Tussur silk has properties superior to ordinary silk for plush purposes, where length of pile is required. Ordinary silk is too soft, and the pile flattens with the touch. This is simply owing to the respective sizes of the fibres, Tussur silk fibres, as I have already stated, are about the 750th of an inch in diameter, whilst that of the *Bombyx mori* of commerce is the 2,000th of an inch.

The strength of the bave or double fibre of tussur silk is $12\frac{3}{4}$ drams, with a tension or elasticity in a foot of 4.4 inches. The strength of the bave of Italian silk is $6\frac{1}{2}$ drams, the tension or elasticity 36 inches.

I remember the prejudices the tradesmen formerly had against its introduction. Some years ago I went into one of the principal shops in Regent-street, to purchase some tussur seal-cloth. I was told the demand for it was very limited, and that it would never prove a success; they had discontinued buying it, because one lady had bought a cloak of it from them and had returned it, saying that she found that her husband putting his arm round her

left the impression of his arm on the plush. I replied that my wife had worn one for some time and I had never noticed that defect, although I had been guilty of the same practice. I said I thought the impression left was on the heart and not on the garment.

But a widespread introduction of it soon followed, notwithstanding that supposed fatal objection, and its use became world-wide, and it is really a *fabrique de luxe*, and a beautiful example of the triumph of manufacturing skill and perseverance. The continuity of its use varies of course with fashion; but it is astonishing to gather from silk statistics what an enormous quantity of the waste and raw of this silk has been consumed for this purpose, waste, which Mr. Clayton, a large Halifax spinner, stated in this room in 1879, at the discussion on my paper on "The Wild Silks of India," lay, four or five years before this date, in the Lower Thames-street Docks as a useless and untried product, and no one would look at it. From thence it was taken to Manchester, where it lay neglected for two or three years, when he accidentally came across some samples of it, and ultimately succeeded in spinning it into yarn, from which was made the seal-cloth I have been describing, which, at the time Mr. Clayton was speaking, had become so much in demand as to cause him to say at that meeting, that as the China supply had ceased, there being not a bale left, unless those interested in Indian produce could cause the waste to be collected there, the industry would die out for want of raw material.

With regard to the substitution of reeled tussur for tussur waste for seal-cloths and their values, Mr. H. T. Gaddum gives me the following information which is worth recording:—

"Up to the last months of 1883 tussah waste silk was worth from 6d. to 10d. per lb., and was made into a low-priced yarn for the manufacture of a variety of different goods requiring a glossy, cheap silk. When the report began I do not know. About the period indicated, it was found that with this material a very good imitation of the material sealskin could be produced, and a large demand for it at once arose, causing the price to advance from 10d. to 2s. 3d. This great advance was followed in the succeeding two years by a reaction to about 1s. 6d., but towards the beginning of 1887, imitation sealskins having come largely into use, especially in America, a sharp recovery occurred, and all the material obtainable found ready purchasers at from 2s. 9d. to 3s. 3d.

"The stocks both here and abroad were cleared out

towards the close of 1887. Tussah nett silk having declined to 4s., it was discovered to be at this price cheaper than the waste, and it came in consequence largely into use. It was driven up to about 5s. to 5s. 3d. for use as a waste. The production of the imitation sealskins was rapidly overdone, the demand for them at the same time fell off, and prices since then steadily declined, so that the silk is worth to-day for dressing purposes about 3s. 4d. to 3s. 6d., and the waste to 1s. 2d. to 1s. 3d."

Mr. Dennis Bradwell, of Congleton, informs me that tussur raw-silk is of late preferred to tussur waste by reason of its being less mixed with extraneous matter, and by its giving better results than waste.

But another cause besides over-production had been operating. In the April number of the *American Silk Journal* I said, "that of all the various English industries affected by the new American tariff, the seal-plush manufacture, probably, is hit the hardest. This journal's Huddersfield commercial agent represents a falling off in the export of this class of goods to America, amounting to 95 per cent. for the half year ending December 31st, 1890.

I am not going to say that tussur reeled silk is better than the ordinary reeled silk, which nothing yet discovered can surpass, or will ever surpass; but there is but little difference in lustre between them; and there are some cases in which tussur silk is made to possess the greater lustre.

EXAMPLES.

TUSSUR PILE FABRICS.

Amongst the large series of tussur silk utilisations which I have collected for illustrations to this paper, I wish to direct your notice to the beautiful pile fabrics, seal-plush, seal-cloth and sealette, very kindly lent by several of the principal Yorkshire manufacturing firms:—

Messrs. Norton Brothers & Co., Norton-thorpe and Cuttlehurst Mills, Huddersfield.

Messrs. Joseph Walker & Sons, Lindley, near Huddersfield.

Messrs. Field and Bottrill, Skelminthorpe, near Huddersfield.

Nothing in any fibre has ever been made to exceed these. They are wonderfully rich, soft, and glossy.

TUSSUR EMBROIDERY SILK.

Tussur silk is more lustrous than Japan silk, but not quite so lustrous as China silk. One of its successful uses is for embroidery. This applied use for this silk was found for it, for the first time in its history, I am happy to say, by

my wife; and this use has every appearance of being as lasting as the silk itself, for it finds an increasing use for artistic work all over the world; yet I am far from saying it is as good for embroidery as the best silk: all I assert for it is, that it is better than spun-silk; and it has an individuality of its own, as you will easily observe

all of which, with one exception, are worked in by these beautiful specimens of embroidery, kindly lent by the Leek Embroidery Society, Indian tussur silk. In one of the cases is a collection of Indian tussur silk embroidery-floss, dyed in various colours with Eastern dyes by myself. This will indicate the kind

FIG. 36.




EMBROIDERY OF INDIAN DESIGNS—LEEK EMBROIDERY SOCIETY.

of thread used by the society, also the colours used. Next to this is a case containing a variety of styles of fringes for embroidery, altar-cloths, and other purposes, entirely made of Indian tussur silk, such as are used by the same society.

TAPESTRY CLOTHS AND CURTAIN STUFFS.

The employment of tussur silk in England and Scotland, and its successful substitution for ordinary silks for upholstery cloths, or tapestry, as it is erroneously termed, has been very large during the last seven years. It



THE GREAT BUDDHIST TEMPLE AT BUDDH-GAYA, BIHAR, INDIA.

The scene of Buddha's great renunciation, showing his Pipal tree or its successor. The temple is surrounded by vast ruins of a still earlier one, and is much visited by pilgrims. Gaya is an important Tussur centre, see p. 22.

*Offered by the Author
with kind regards.*

In the Zoological Gardens at the present time there were tussur moths and worms in the living state, and Mr. Schlater had sent word to say that these specimens might be seen.

He was very much obliged to Sir Philip Cunliffe-Owen for the interest which he had always displayed in this matter. And he ought not omit to state in this place that H.R.H. the Prince of Wales, as President of the British Section of the Paris Exhibition of 1878, also took a deep interest in the exposition of these Indian wild silks, and greatly encouraged their exposition.

In 1879 the shipment of Chinese tussur silk to Europe was 169,466 lbs., but in 1887 it had grown to the enormous figure of 3,375,500 lbs. Notwithstanding the great consumption of China tussur he might say that for the whole of 1878 there were only 150 bales of tussur silk conditioned in Lyons, and the whole of this was not used, but for the week alone ending in April, 1891,

there were 136 bales of tussur silk conditioned, as against 178 of French and 38 of Italian silk.

No fear need be entertained as to the progress of Indian tussur silk. The more it is known the more it will hold its own. Its strength is one-third stronger than China tussur silk. Indian tussur-silk bave, or the double fibre, in an average of twelve trials of 12-inch lengths showed a strength 12 drams, and a tension or elasticity of 4.4 inches. China tussur-silk bave, or double fibre, in an average of twelve trials of 12-inch lengths showed a strength of 8½ drams, and a tension of elasticity of 5.4 inches, whilst Italian-silk bave, or double fibre in an average of twelve trials of 12-inch lengths, gave only a strength of 6½ drams, and a tension or elasticity of 3.6 inches.

The vote of thanks to Lady Egerton for presiding having been unanimously passed, the proceedings terminated.

Since this paper was in type, the Lyons Conditioning House has reported the return of tussur silk conditioned for the week ending July 4th, of the immense quantity of 220 bales, or 38,000 lbs., thus more than doubling,

by 30 bales, the average weekly quantity of last year.

This shows that public attention both in India and the rest of Europe cannot be too strongly called to the importance of this question.